App.F.IX-4

153 18

1920-21 (Muzrai)

File No. 385-20

Serial Nos. 1 - 23

Previous References

120 -07

280 & 153 18

498 16

Later references.

Mun 261-25-1

158-27-1-2

235-42-1-4.

~~235~~-

GENERAL AND REVENUE SECRETARIAT.

Serial Nos. 2 to 23

Part B for January 26

SUBJECT

Water-Supply to Kalasa Town.

Sanctions an estimate for Rs. 34,940 for the project of ——

G. O. No. 974-8—Muz. 385-20-22, dated 30th January 1926.

To—The Secretary, Public Works Department.
The Chief Engineer of Mysore, with the sanctioned estimate and other enclosures.
The Muzrai Commissioner in Mysore, with a copy of the abstract estimate.
The Comptroller to Government, through the Financial Secretariat.
The Deputy Commissioner, Kadur District, with a copy of the abstract estimate.

29-3-26

G 283 278
1925-26

G.R.S. III—3]

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record]

D 1477/Mu3

Petition 8/10.1.21 from certain residents of Kalasa representing that sinking of wells for supply of water to Kalasa town are of no use & that water may be supplied by means of pipes, as originally decided.

The project for supply of water to the Kalasa town was after mature consideration abandoned in 1910. L 98-50 Mu 1 5-1-9 13-8-19

2 In the event of the matter being reconsidered the Municipality requested to furnish

NB.—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form

Conversion of pipe, and

[illegible]

G.R.S. III—3]

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

the construction of one or two wells, which will afford the necessary water convenience for the temple & the village

3. As no ~~report~~ estimates have been rec'd & no report of the steps taken in the matter has been made, a draft letter to the Dist: Engr. making the necessary enquiries is, submitted.

8D
26/1/21

June
26/1/21

385-20-2)

To, Chief Engineer in Mysore.

No. 2681 Dy. S. 2. 21

Invites ref. to this Office letter No. F. 153-18-2 dt. 13 & 18/8 & enquires progress was made in the matter Cavahindi wells & also forwards

N.B.—Should routine notes be written on small slips, he notes must be copied, or slips pasted on form.

G.R.S. III—3]

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

£1769 Sl 3). From the Sle: Engr:-, letter no - 7560 & 24-2-21 -

Forwards, in reply to Sl.no.2 a copy of letter no. 943/E.K-6-J- 21 & 22-12-20 from the Supdg Engr, western circle, on the subject and states that an estimate for the work on the lines suggested by ~~the~~ him is called for & the same is awaited -

---

The Supdg Engr [illegible]

NB —Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

~~invited~~ invited ↳ para 8 of the Muz: Supdt's note in Muz: 153 18, wherein the loss is estimated only at Rs 1500/-

3. In para 6 of his letter the Supdtg. Engr. states that he examined the scheme very carefully and that he is convinced that the best solution is to partially revert to the old scheme by adhering to that source of supply with its pipe distribution. He states further that all materials for this as well as for the storage reservoir & pipe line are ready and the work completed in a couple

routine notes be written on small slips,
tes must be copied, or slips pasted on

G.R.S. III—3]

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

2 months at a cost of Rs 3000/-
over and above what has already
been expended. It seems
further that this is the simple
and most economical solution
and provides the public
certain wherever the
scheme provides ... work is
supplied. —

... An estimate of Rs ... for
sewerage ... has been sent
work

... The proposal is
agreed —

N B.—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

... Chief ...
... agree with the
... to direct that
Estimate done and

G.R.S. III—3]

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

routine notes be written on small slips,
must be copied, or slips pasted on

DEWAN'S O
Regd. on MAR 6
Reg. No. 57

G. R. S. III-2

1759

General and Revenue Secretariat. | Irrg. File No. ~~H~~ 385 of 19 21.

Serial No.

Submit the same for the orders of Govt. In view of the fact that a sum of Rs. 15000 has been already spent on the work and that a sum of Rs 3000 will complete the work, the scheme seems to deserve a final sanction as the work is said to be unsatisfactory & of no public utility.

2/3/21

8. For orders.

2/3/21

To Secy)

4. [signature] 3/3/21

4478-96.
4-3-21.

10. The Estimate promised may be awaited, but care should be taken that there is no unordinate delay in its submission. If it is not the usual practice to send the plans along with the estimates, how they may be called for.

The file may kindly be returned with the information of the Govt.

8.3.21

11. [signature]

8.3.21

DEWAN'S OFFICE.
Recd. on MAR 8 1921
Reg. No. 5767

NOTE—Contn. sheet.

G. R. S. III-2]

General and Revenue Secretariat.

Mus File No. 385 of 1920.

Serial No.

A

(Second Member) 19.3.21 Ulf 21/3/21

4806-109
24-3-21

12. A. Further action may be taken as indicated

Rec
26.3.21. 26/3/21

57
26/3

13. D

Action Suggested

29.3.21

Secy) 30/3/21

(Second Member) 2/4/21

5051-62
4.4.21.

14. Orders passed

5.4.21

5/4/21

NOTE—Contn. sheet.

R. S. III-21

General and Revenue Secretariat.

Mug. File No., 385 of 1920.

Serial No.	
4	To, Chief Engineer of Myitkyina — No. 3505 A. S. - 4 - 1921. Request to investigate the matter fully & favour Govt. with his definite suggestions early.
5	From the Chief Engineer of Myitkyina. No. B-197 d. 11-7-21 — forwards No. 4179 d. 6.6.21 copy of letter received from the Superintending Engineer, Western Circle, and states that that officer has been requested to submit a detailed estimate for the work on the lines suggested by him.
6	From the Chief Engineer of Myitkyina, Roads & Buildings. No. 46-2746 d. 6.6.21 — States that he inspected the whole area thoroughly and found that the best solution would be to complete the partially built bund to a lower level than formerly contemplated and to feed the reservoir thus formed from the Kachi Kon stream-let, that the Executive Engineer, Kahsu Division was shown & what work shd be done and asked to submit the project to the Chief Engineer for Irrigation as early as possible. Linked per Orders. MBK. 9.2.23. Xxx A Copy of Note Suggestions letter (No. 1783) Received Together with [illegible] p. 2

NOTE—Contn. sheet.

G. R. S. III-2]

General and Revenue Secretariat.

File No. 385 of 1920

Serial No.	
	Letter No. 1791 dt 6.6.21 from the Resg. Engr. to the Ch. Engr. Mayurbhanj & the Ch. Engr. for Irrigation with the request that the project in question may be obtd. from the Ex. Engr. & subd. to Govt. within a month. As the question has been pending for several years. — Draft submitted for approval & orders.
	10/2/23
17.	
18.	Action appears
	13.2.23
19.	
7	No 2303 dt 16/1/23 to the Ch. Engr. for Irrigation. Requests to obtain the estimates from the Ex. Engr. Kadua Div. & submit to Govt. within a month.
	Subd. with a Do pencilled approval.
	11/4/23

Staff
Pubty Dept
Proceedings
are in all cases

84
10/2/23

6625-32
12.2.23

NOTE—Contn. sh

11/4/23

General and Revenue Secretariat. | Mug File No. 385 of 1920

Serial No.	
	Sd/ with a Do reminder for approval Issue dcg 8/8/23 7/8/23 Sd/ 8/8/23
8	From the M. C, letter no. C. 166 of 23-24 dt 11-8-23 ~~A scheme~~ with refce to the observations of the Dewan in his Tour Notes of the Kadur Distt re the water-supply scheme to Kalasa, states that the scheme was abandoned by Govt and ~~called for~~ an alternative project for sinking some wells was called for; and requests to be informed how the question stands- 20. In letter No. [illegible] Mug. dt. [illegible] the Chief Engr for Irrign was [illegible] asked to submit a proposal, on the lines suggested by the Consg. Engr & Dewan, ~~and~~ and Executive [illegible] 21. Draft letter forwarding copy of the letter addressed to the Chief Engr for Irrign to the Mug: Comr & Ex Engr and to be sent. Sd/ 15/8/23 Sd/ 16/8/23 Issue dcg 16/8/23

NOTE—Contn. sheet.

G. R. S. III-2]

Muzrai Secretariat | Muz. File No. 385 of 1920.

Serial No.	
9	No 304 of 22/8/25 to the Asst. Comm. Ins. the letter of Ch. Engr for Irrigation re the proposed water supply scheme to Kalasa.
	Submitted with [illegible] Issue
10	From the Ch: Engr. of Mysore, letter no. B12197 of 3.3.26. Submits for sanction an estimate amounting to Rs 25,017 for water-supply to Kalasa town - 2. A brief history of the case is given in the Ch: Engrs letter under disposal and also [illegible] in Asst. Commr Narasimha Iyengar's Note of 7-6-18 in Muz: file no. 153-18. 4. When the scheme of water-supply to Kalasa was abandoned in the year of its heavy cost in the order of Aug 1918

NOTE—Contn. sheet

WD 0561—GPB—3750—1-8 22

Serial No.

the Exe. Engr. was requested to investigate convenient sites & subt. estimate for the excavation of one or two deep wells, to afford the necessary water convenience for the temple & village

25. It will be seen from para 7 of the letter under disposal that sinking of wells was considered to be useless & that reversion to the old scheme of water-supply was decided upon.

26. ~~According to~~ the revised & revised estimate for Rs 25,017 has accordingly been subd. for sanction. Including the cost of materials available viz Rs 9,923, the entire cost of the revised estimate is Rs 34,940. By abandoning the estimate sanctd. for Rs 30,000, a loss of Rs 5000 was incurred, though the loss was then estimated at only Rs 1,500. As the executive Engr's project for Rs 53,530 has been reduced to 34,940, Govt. cannot be

WD 0561 - GPB- 3750—1 8 22

Serial No.

the ~~exceed~~ estimated cost will not be exceeded before the work is completed

27. The estimated cost of Rs 25,017 is proposed to be met in the proportion of 2/3 from the temple & 1/3 from State funds, as in the case of the estimate sanctd. originally. This means that a sum of Rs 8339 should be met from State funds placed at the disposal of the P. W. D and 16,678 from the temple funds. It has to be ascertained what amount is at the credit of the temple now and ~~how~~ what amount was actually placed at the disposal of the P. W. D when the original & revised estimates were sanctd. -

28. The points for consideration and orders are: —

1) The estimate for Rs 25,017 srcb. for sanction

2) Meeting the cost in the proportion of 2/3 from temple & 1/3 from State P. W. funds, as proposed

3) Information as regards the amount at the credit of[x] the temple & the amount already placed at the disposal of the P. W. D ~~for~~ previously. -

A

SD 13.3.25 Dy 14-3-25

29 A The min. may be obtained

10/3/25

[x] It has been unofficially ascertained from the Comptroller's office that there was an amt of Rs 6,65) at the credit of the temple on 1-7-24.

Dy 16/3/25 ST 14/3

NOTE—Contn Sheet

1660

41-2]

Mg File No. 385 of 1920 General and Revenue Secretariat

30. Draft subd.

Serial No. Rs 6657

31. Draft (2) approved

Issue as proposed

Rs 1873

to the Chief Engr & Secy. no. 1364 dd 19.3.25. Requests info as to the amount placed at the disposal of the P.W.D. out of the temple funds when the original & revised estimates were drawn & how much out of the same is now available.

to Comptroller no. 1365 dd 19.3.25 Rs 8000 for the above info & proceedings.

32. Reply received. The file will be subd to the first member on return from tour, together with the A. S[x] file rec'd yesterday from [illegible]

[x] Limited here to

19.3.25

33. 19.3

19/3

(1st member)

34. Seen. The chief Engr's Reply & the comm[n] of enquiry may be subd to the file

[illegible]

21/3

General and Revenue Secretariat.

146 1530

Mag File No. 385 of 19 20 -

Serial No. 12

From the Compte., letter no. Jud. B 1089 dg 19-3-25

states that sums of Rs 15, 666-10-8 and Rs 4333-5-4 were placed at the disposal of the P. W. D and that a sum of Rs 10,073-0-4 was recredited to the funds of the temple in Nov. 19-35. Out of Rs 20000 placed at the disposal of the P. W. D, a little more than half is reported to have been recredited.

36. Subd. for orders as to whether the Collr. Engrs reply may be awaited.

Asst Manager

8d 21-3-25 Dy 23. 3. 25.

37. The estimate is for Rs 25017, of which 2/3 must come from the temple. i.e. Rs 678 The balance available at the credit of the temple at present is Rs 665-7,

Rev. Secy 24. 3. 25

1st M.

25. 3.

619/263

38. I cannot understand why the amt at the credit of the temple is so small. It is stated the Compte. a sum of Rs 10,000 / odd has been recredited to the temple in 1919. how is it that the amt is only Rs 665-7 as its credit. Has any large expenditure been incurred from the temple funds since 1919 NOTE—Contn. Sheet

Dy 27/3 27 W 29/3

Serial No.

39 Since 1919, two large amts have been taken from the Kalana temple viz Rs 15,000 as a loan in favour of the Sri Devanga matt in 1921 and Rs 8,500 for improvement in 1924 of Dharmambudhi tank amounting in all to Rs 23,500. The present small amt of 665.7 Rs at the cost of the temple is due to this fact. In Journal (Rept Para 38)

Rev Secy 28/3/25. 28/3

754/313

40 Sri Sri Sri any money belonging to the Hindu inhabitants in Sri Bunder or the Seaports can they be used to form in favour in water supply project.

1/4

3.4.25

41 Draft letter to the Comptroller is sent.

4/25

4.4.25

Serial No. 14

2a The Comptroller. No. 1463 d. 7.4.25.

States that a project for water-supply to Kalasa Town is under the consideration of Govt, & requests to be informed what amount is now at the credit of the Sri Kalasawaradswami temple & whether the temples has any funds invested in Govt Bonds or other Securities & whether they can be sold to find funds for the water supply project.

From 9/4/25 15

From the Comptr., Letter Jud. B. 1144 8/15/4/25

States that a sum of Rs 3358-7-2 in cash was at the credit of the temple at the end of Feb 25 & 44,489-4-9 in Govt bonds -

43. The amount in bonds are:-

1865	Rs 8,300-0-0
1879	5,689-4-9
1940	30,500-0-0
~~44,489~~	
	44,489-4-9

44. Ref... Para 40.

If the estimate has to be sanctd for Rs 25,017, Rs of the value of about Rs 22 000 have to be sold. It would, perhaps, be better to sell bonds carrying less interest. In this point also, the Comptr must be consulted.

NOTE—Contn. Sheet

Serial No.

4) Subd for orders.

17.4.25

17.4.25.

Submitted with reference to para 4(b)

20/4

20.4.25

4) What is the present market value (approximate) of these bonds?

28/4

28/4.

28.4.25.

F 2436

NOTE—Contn. Sheet

G.R.S. III—3]

71 4456

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

48

As per the latest weekly quotations (29-4-1925) of messrs Hurcan & Todd, the market value of the securities are as follows.

Govt of India

3½ P.C at 67 3/8 to 68-3/8.

8300
5689-4-9
13989-4-9 at 67 3/8
Rs 9425

1940 State Loan Bonds at 99 to 101

30500 at 99 — 30195

Market value Total 39620

as against the face value 44409-4

Pl. see 9/47

2-5-1925

Muzrai

N.B.—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

4-5-25

50/ 4-5 (82 members)

1664

G.R.S. III—3]

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

---

9. Do financial position of temples may be explained
& the Time Committee may be asked
& ascertain the views of H. Dharmadarsi
of the temples ~~about~~ in matter &
selecting the Boards belonging to the work
for ~~finally~~ meeting the cost of the
temples shown of the working scheme
framed or with his opinion for
view & for -

Dr
5/
8/6
8 5 15
Sr 8/:—

50. Draft letter to Mig. Comr
Submd
8/9
9.5.25
Files, being sent
called for by the Dewan.
(vide file below) - May
both be submd to the Dewan,
after issue of the draft finally.

Submd
9.5.25
.51. Issue & send
9.5.25

N B.—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

General and Revenue Secretariat.

Muz. File No 385 of 1920.

Serial No. 17

To
The Muz. Commr. No. 1620 dt. 25.5.25.
The Chief Engr's letter in dt. 10 in original together with its enclosures, requests him to ascertain the views of the Temple Dharmakartas in the matter of selling the ~~bonds~~ of the temples as the cash balance is very durable & to forward the same early for the orders of Govt. with his opinion on the matter.

2. Issued and received. The Devan Sahib has called for this file in ~~Confdl~~ Secn. with dt. 13/5/25 D.O. 102-23 which is now put up.

BZ 13/5/25

3. Devan Sahib orders on the D.O. file -
"The question of Contribution
"from temple funds has to be
"settled first. Please see that
"finally decided in the Muzrai file
& resubmit thereafter in the new

Members of ...
54. Secn. ...

NOTE—Contn Sheet

File No. of 19	General and Revenue Secretariat.
	Serial No.

NOTE—Contn. Sheet

General and Revenue Secretariat.

Mny File No. 385 of 1920

Serial No. 8

From the Secretary to Govt., P.W.D and Electrical Depts., letter no. 600 dt 15/8/25

Requests that the project for water-supply to Kalasa town, which was forwarded here by the Bl. Engr., may be forwarded to him for being dealt with in the first instance in the D.P.W. Secty., as per standing orders of Govt. recently issued.

55. A copy of ~~order~~ letter no. 285 dt 22-7-25 from the P.W.D Secretary to the Bl. Engr. referred to has been sent. According to that all water-supply schemes should, in the first instance, be subd by the Bl. Engrs. to the Secy, P.W.D and then to the Secty concerned -

56. The Kalasa water-supply project received here from the Bl. Engrs has been forwarded to the Mny Collr. for opinion with regard to the funds required. To reply has been received from him

57. Draft sent to — for signature put up for approval & further orders.

sd
21/8/25

21-8-25

58. Issue as noted

19. To the Mny Collr:

NOTE—Contn Sheet

17 File No. 385 of 1920

General and Revenue Secretariat

Serial No 19.

To.

The Muzrai Commissioner

No. 2629 28-8-25-

Requests him to return immediately the Chief Engineer's letter No B 12197 3-3-25 with its enclosures and the information called for

General and Revenue Secretariat | Muz. File No 385 of 1920.

Serial No 20

From the Muz: Commr., No. C.1336 of 24-25 d/ 9-10-25

Returns the estimate for Rs 25017 for the Kalasa Water-supply scheme and states that the estimate may be sanctd. deducting therefrom the Establt., Tools & Plant charges amounting to Rs 2377 and two-thirds share of the temple being met from the accumulated interest earnings of the Gl: Muz: Fund & the cash balance at the credit of the temple -

59. Cost of the estimate [illegible] 017
Establt., Tools & P[illegible] to be [illegible] 2377

One-third of [illegible] 7,546
Two-thirds [illegible] 1,6,[illegible]
[illegible]
credit of the [illegible]

10074
3360
13434 (?)

Also [illegible]

[illegible]

[illegible]

Note—Contn Sheet

Serial No.	

NOTE—Contn. Sheet

General and Revenue Secretariat

Irrig. File No 58 of 1920.

Serial No

60. Miss [illegible] with the recommendation of the type recommended in Agricultural Pamphlet, which can be obtained cheaply from [illegible], the Secretary, Indian Trade Journal, Calcutta. It is not necessary to submit [illegible] for the approval of Government.

61. Before receiving the Executive Engineer's proposals for execution of the estimate for works, a copy should be sent to Superintendent, Government Printing, Calcutta, for [illegible] (Rs 18).

62. Submitted in original for approval and orders to despatch.

20/10/25

63. Done 25.10.25

21 To.

Secy P W Dept No 501 dt 28.10.25

Forwarded the project and requests him to return the same early.

Note—Contd Sheet

App. F. III—2]

WD 0569—GPB—40,000—31-7-25

File No. of 192 .

General and Revenue Secretariat

Serial No.	

NOTE—Contn. Sheet

General and Revenue Secretariat

Muz File No. 385 of 1925.

Serial No 22

From the Secretary, P.W.D.,
No. 2007 dt 2/12/25.

States that the estimate is in order and that the total estimated cost amounts to Rs 34,940 and deducting the cost of materials available, the net amount will be Rs 25,017-

64. The estimate has been returned by the Secretary, P.W.D. with his approval.-

65. Subt for orders as to whether the Muz: Comrs proposals contained in paras 59 & 60 of the note may be sanctioned.

SD
7/12/25

66. For orders

8 12 25.

Rev Secy)

67. I do not think it is necessary to make the 2/3rd contribution of Govt. Muz: Fund as proposed by the Muz: Comrs. The order already passed may be given effect to. The Malam Temple has sufficient funds to meet the quota. The Trustees however appear to have sufficient surplus with them to make up the loss by interest by the release of the 6¼% bonds.

68. The Comptr has separately reported that part of 6¼% bonds is not available for encashment for the time being the Rs 25000 of the Muz: Fund. And if as agreed by the Dy Comrs and the Dharmadarsi a portion of the investments of the Malam Temple Fund is also converted into cash, the

NOTE—Contn Sheet

App. F. III—2]

WD 0569—GPB—40,000 31-7-2

File No of 192

General and Revenue Secretariat

erial No

Note—C

C 278 of 25-6.

[App. F. III—2

General and Revenue Secretariat

File No. 385 . of 19

Serial No

~~The portion~~ part of the surplus of the Coal Mines fund can also be invested in the loan paper

69. The verification of the correctness of the balance at the credit of the temple may be kept ~~separately~~ separately.

70. The work is very urgent, and the estimate for Rs 25·0·0 less Rs 20 7/. as proposed in para 2 of Mr Cowie's letter of 9th Oct 1925 may be sanctioned - It may be immediately started with the 2/3rd remaining the temple. and the Rishi- funds provided for in the next year's budget if it can not be made available this year -

1st Secretary

12.12.25

14.12.25

319
14.12

71. The Estimate now read may be sanctioned - 2/3rd Rs can be met from the funds at his credit for temple the remaining 1/3rd for Rs 8/1 and

Dewan

DEWAN'S OFFICE,
Rec'd. - 15 DEC. 1925
No. 4446

5571
16/12

72. Mr Cowie Consulted in C

15.12.25

16.12.25.

Secretary

Noted Secretary
16/12.

NOTE—Contd. Sheet

73 To chief Secy with Compliments

WD 0569—GPB—40,000—31-7-25

App. . III—2]

File No. of 192 .

General and Revenue Secretariat

Serial No

NOTE—Contn. Sheet

General and Revenue Secretariat | File No. | of 192

Serial No

74. Whether funds are available may be ascertained from L Secy.

Lee
17/12

As personally ordered by the Chief Secy, ascertained in the L.S.G. Dr that sum is a reserve of Rs. 1925/- under 30 Grant for Public Improvement, 2 Improvement of Water Supply in Town" during the year 1925-26

17.12.25

NOTE—Contn. Sheet

WD 0569—GPB—40,000—31-7-25

App. F. III—2]

File No. of 192

General and Revenue Secretariat

Serial No.	

NOTE—Contn. Sheet

Extract from the Proceedings of the 761st *Meeting of the Council of His Highness the Maharaja, held at Bangalore on the* 23rd December 1925. *19*

121. Subject. - Clause xii of the schedule.

Project for water supply to Kalasa town.

OPINION OF THE COUNCIL.

75. The estimates may be sanctioned and the allocation of expenditure as proposed approved, provision being made for the Government share in the Public Works Department budget next year.

(Signed) A. R. BANERJI,

Dewan of Mysore.

"EXTRACT"

Chief Secretary to Government.

WD 1471—GPB—2,000—1-3-21

G. & R. S. 12]

W D 473—GPB—1,000—12-9-18

General and Revenue Secretariat.

File No. of 191

Subject.

Project for Water Supply to Kalass Towr

*9 (a) If the views expressed by the Financial Secretary in any case, whether original or un-officially referred, are not accepted by the Member of Government in charge, or by the Dewan and Members of Council, as the case may be, the file containing the discussions shall be sent to the Financial Secretary a second time, in order to enable him, in cases in which he considers that the orders proposed to be issued are opposed to financial rules of Government or to recognised financial principles or for other reasons of a financial nature, are open to objection, to record a respectful representation to that effect, which will be placed by the Dewan before His Highness the Maharaja for consideration.

(b) All cases sent to the Financial Secretary under this rule should be treated as immediate and returned to the Department concerned within three days of receipt

Extract from the Proceedings of the Council is put up.

Forwarded, with compliments, to the Financial Secretary to Government, under paragraph 9 * of the Government Order No. G. 17572-8—G. M. 676-17-1, dated 22nd June 1918.

By Order,

Chief Secretary to Government.

Final Note by the First Member of Council.

—•—

Subject:—

Project for water supply to Kalasa town in the Mudgere Taluk

—•—

77. The question of making efficient arrangement for the supply of water to Kalasa town,-the seat of the famous and richly endowed temple of Kalasesvara- in the Mudgere Taluk has long been under consideration of Government. An estimate for Rs.23,500-of which two-thirds was to be contributed from the temple funds and the balance met from the State grant- was sanctioned for the purpose in Government Order No. 1904-07/Inz. 120-07 dated 12th February 1916. After a portion of the work had been carried out, the project was abandoned under circumstances explained in Diwan Visvesvaraya's submission note dated 24th July 1918. as being costly and of doubtful utility: and the Chief Engineer was requested to investigate the question of sinking one or two wells to afford the necessary water convenience for the temple and the village. (Vide G.O. No.498/501-Inz. 153-18-2 dated 13th June 1919) The Superintending Engineer, Western Circle, having in his letter No. 943/E.E. (67 of 21) dated 22nd December 1920 to the Chief Engineer reported that there was no guarantee that, even if wells purposed to be sunk holding water in hot weather even if deepened to a depth of 20 feet and that the best solution of the question would be that of reverting to the old scheme of constructing a suitable tank near the town and leading water by pipes into a service reservoir etc., the Chief Engineer has, with his letter No. 12107 dated 3rd March 1925 sent up for sanction a revised estimate for Rs.34,940 for this work. Deducting the cost of materials available viz., Rs.9,923, the net amount now required for the purpose is Rs.25,017.

78.2 When the papers came up before me, I minuted that the estimate might be sanctioned, two-thirds of the cost being met from the funds at the credit of the Kalasa temple and the remaining one-third from State funds (as was done while sanctioning the first estimate in February 1916).

79 3. The question was, as directed by the Dewan, discussed at the meeting of the Council on the 23rd December 1925 and it was resolved that the estimate might be sanctioned and the allocation of expenditure as proposed might be approved, provision being made for the Government share in the P.W.D. budget next year.

80 4. The resolution of the Council may be graciously approved.

FIRST MEMBER OF COUNCIL.

31-12-1925.

Submitted to His Highness.

I submit herewith a Final Note by the...First.....

Member of Council on the subject of...Project for.....

water supply to Kalasa town in the Mudigere Taluk,

.....

for His Highness' gracious approval.

Dewan.

STATEMENT OF CASES SUBMITTED FOR THE ORDERS OF HIS HIGHNESS THE MAHARAJA DURING THE TOUR OUTSIDE THE STATE IN...January.1926.....

Serial No.	Subject	Orders of His Highness	Order regarding submission of files (*vide* foot-note)
479	Revised estimate for water supply to Kalasa Town in the Mudgere Taluk.	Approved by His Highness Camp Bombay 16/1/26	c

NOTE.—The letter a, b or c may kindly be inserted by the Private Secretary to His Highness in the last column to indicate whether
File may be submitted at once
File may be submitted after His Highness' return
File may not be submitted at all

W.2355-20

C 278

General and Revenue Secretariat

SUBJECT

Water Supply project of Kalasa Town.

(*)

31 All urgent or confidential files returned with His Highness' orders may, in the absence of instructions or indications to the contrary, be ordinarily circulated to the Members of Council for perusal after the issue of orders

33. The Secretaries concerned should see that orders in the cases referred to above are issued at once and that the files are returned immediately after to the Chief Secretary for circulation to the Members

34 In all other cases, the files will first be circlated to the Members of Council at headquaters and then sent to the Secretariat coneerned for the issue of orders

Circulated to Members of Council for perusal of His Highness' orders before /after issue of orders. (*Vide* Rules 31, 33 and 34 of the Subsidiary Rules for the conduct of business of Council in the Manual of Council Rules and Procedure.)

By Order,

A G B Scott

Chief Secretary to Government.

Through the Secretary to Government,

Revenue Department.

495/2011

FIRST MEMBER OF COUNCIL. 20/1

6401/2011

SECOND MEMBER OF COUNCIL. 21/1/12

EXTRA MEMBER OF COUNCIL.

NOTE - Contn. sheet.

Rev Secy. with Comps.

1/21/1

83. Draft- under Very Conf

a/o 11/4 h 21/1

General Revenue Secretariat | Mug File No. 385 of 1926

Serial No

84. Draft order is subd. for approval.

85. A para is added in the matter of the sale of the temple bonds. The Comptr. has already reported in his letter dt 15-4-25 (Sl. 15) the details of the temple investment

para 43 of the office-note

86. In the first sanctd. estimate, a provision of Rs 200 was made for annual maintenance from the temple funds. It is a point for orders whether a similar provision is not necessary now. The Collr: Mug. has not made a mention of this in his letter.

Rev. Secy

636/23/1

1st Member

22

To the Secretary, P. W. D.
" Collr: Mug. of Mysore
" Mug. Court in Mysore
" Comptr to Govt
" D. C. Kadur

G.O. No. 974-8/Mug 385-20-22 & 30/26.

Sanctions are cost made for Rs 34,940, including the cost of materials on the spot amounting to Rs 9,923, for a water-supply scheme to Kalasa, 2/3 of the cost being borne by the temple at Kalasa & 1/3 by the P. W. D.

NOTE—Contn Sheet

WD 0569—GPB—40,00

File No. of 192

General and Revision Secretariat

Serial No.	

NOTE—Contn. Sheet

WD 0569—GPB—40,000 31-7-25

File No. of 192 .

General and Revenue Secretariat

	Serial No.	

NOTE—Contr. Sheet

38 Inge

G.R.S. 26]

File No. 385
-20
Serial No. 2

Diary No. of letter replied to 11.71

No. 2501/Revenue.

General and Revenue Secretariat

(Ootacamund)

, *the* 19 .

To

The Chief Engineer in
Irrigation, Madras.

Sir,

I am directed to invite
reference to your D.No. 278-
Irri 153-18-2 dt. 13-2-1 and
the abandonment of the project for the
to the Kalasa Power
in order to
the
of one to two
after

over.

Date of issue 8-2-21

Signed by [illegible]

SUBJECT.

instances in the town & area
Kaya will be required to be
informed of the action taken
in the matter and reply no
finals in case is received
letter No. 1477 E,
dated 21 received from some of
the residents of Malwa re-
presenting that the supply
of water from the Malwa tower is
not sufficient and arrangements
should be made for supply
of water by means of pipes
as originally proposed, is also
commanded for such action
as may be necessary.

3. An early reply is requested.

I have etc

Secretary.

Mun: Deptt.

8D
1-2

List of enclosures,

Copied by

Examined by

GPB—10,000—28-2-11.

MYSORE PUBLIC WORKS DEPARTMENT,

Central Office,

No.L. 7510

Dated Bangalore, 24th February 1921.

1789

From

S. CADAMBI, ESQUIRE,

Chief Engineer of Mysore,

385-20

Bangalore.3

To

T. E. Jayarama Aiyar, Esq., B.A., B.L.,

Secretary to the Government of Mysore,

Muzrai Department, Bangalore.

Sir,

With reference to your letter No.2681/Muz.385-20-2 dated the 8th February 1921, re: the excavation of one or two wells for the water supply to Kalasa town, I have the honour to forward herewith, for information a copy of letter No.943/E.K.6.J.21 dated the 22nd December 1920, received from the Superinterding Engineer, Western Circle, on the subject.

2. An estimate for the work on the lines suggested by the Superintending Engineer is called for and the sare is awaited.

I have the honour to be,

Sir,

Your most obedient servant,

R V Sundaramma

FOR CHIEF ENGINEER OF MYSORE.

I.R.S./23-2/2.

Letter No.943/E.K.(6.J.21) 20th/22nd December 1920, from the Superintending Engineer, Western Circle, to the Chief Engineer of Mysore, Bangalore.

KALASA WATER SUPPLY.

Chief Engineer's No.b.3535 dated 6th October 1920.

I have the honour to report that I consider the project for wells thoroughly unsatisfactory. Kalasa lies on a ridge with the Bhadra on its north, west and south sides. There is no guarantee whatever that the proposed wells will hold water in the hot weather even if they are deepened to 10 feet - in fact it is more than ---- likely that they will run dry, as the natural tendency of wells --- situated on a narrow ridge and surrounded on three sides by a river is to lose all their water as soon as the saturation of the soil -- ceases after the monsoon.

2. The original project for a tank with a pipe line and stand-pipes was estimated to cost R. 34,000 odd. This work was undertaken by Mr.Reed of Mavinkere. His final bill amounted to R. 12,500 which --- included the collection of pipes and fittings, collection of stones and other materials and earth work to bund - which he started . The work was then stopped and the bund is left incomplete; all the ---- stone, jelly, gravel etc., collected at great expense are lying at the site of the work and the pipes and fittings have been stored in Kalasa.

3. In addition to the amount of R. 12,500 mentioned above, ----- Mr. Reed was paid R. 2,000 as compensation on account of the cancellation of his contract. Besides this, about R. 600 was expended on the acquisition of land, bringing the total to about R. 15,000.

4. Orders are recently received to cart the pipes and fittings to Shimoga. This will cost 1,500 but carts will not be available till March as they are all engaged in carting coffee to the coast.

5. Of the R. 12,500 mentioned in para 2 above, 9,500 represen

the value of pipes and fittings which is recoverable provided ---- R. 1,500 is incurred in carting them elsewhere. The net loss by - cancelling this scheme is therefore Rs 3,000 plus Rs 2,000 compensation or R. 5,000 in all.

6. I examined the scheme very carefully on the 11th and 12th and am convinced that the best solution is to partially revert to the old scheme by adhering to that source of supply with its pipe distribution. There is no need to go in for such an enormous --- elaborate bund as the population of Kalasa is only ₹ 500 and there is little chance of its increasing. The stream is a perennial -- one and there is no need for much storage. During the jatra ---- where 1,500 congregate, there is a certain amount of water in the wells still and the water supply scheme need not necessarily --- provide for this additional population.

7. The enclosed rough sketch illustrates what is proposed. The blue hatched portion shows the incomplete bund. The red line D.M. is a masonry dam from the bund to the high ground. R is a - storage tank of, say, 30,000 gallons. P is the pipe line to Kalasa. The masonry dam or wall/D.M. will be 12 feet in height and 60 feet in length. All material for this as well as for the storage ---- reservoir and pipe line are ready and the work can be completed in a couple of months at a cost of R' 3,000 over and above what has -- already been expended. This is the simplest and most economical solution and besides the supply is certain whereas the well scheme provides a very uncertain supply.

8. The Executive Engineer is asked to submit an estimate on -- these lines and the Chief Engineer's approval is solicited. The flow of the stream is also being gauged.

"Copy".

Assistant Secretary to Government,
Public Works Department.

G. R. S. VI—G/32]

SUBJECT.....

5/4/21

Diary No. of letter received to— 1789

Section Irrigation
File No. 33-21
Serial No 4

General and Revenue Secretariat
(Mug)
, the 191 .

No 3505

Date of issue 8.4.21

Signed by Mr. Ayyangar

To The Chief Engineer, P.W.D. Mysore, Bangalore.

Sir,

With reference to the correspondence ending with your letter no. 7570 of 24-2-21 re water-supply to Kalasa town I am directed to state that as the materials are all ready and on the spot, it is worth while considering whether the bigger tank as originally

over.

designed, should not be constructed. I am to request you to investigate the matter fully and to favour Govt. with your definite suggestions as early as practicable -

I have etc
U/ 2/4/21.
Secretary
Mun: Deptt

Ram
5.6.21

Jan Offg
SD
9/4/21

BB 7/4/21

2-4

List of enclosures.

Copied by

Examined by

1153

87

No. 197

Enc 1.

24 22

MER

385-20

5

REVENUE & REV. SECTT.
11 JUL 1921

MYSORE PUBLIC WORKS DEPARTMENT,
CENTRAL OFFICE,
Dated Bangalore. 9th July *1921*

11.

FROM

S. CADAMBI, Esq,
Chief Engineer of Mysore, Bangalore.

To

T. E. Jayarama Iyer, Esq., B.A., B.L.,
Secretary to the Government of Mysore,
Muzrai Department, B a n g a l o r e.

SIR.

With reference to your reminder No.4664 dated the 29th June 1921, requesting to investigate the question of sinking wells for the supply of water to Kalasa Town, I have the honour to forw herewith a copy of letter No.1791/E.K.(6-j-21) dated the 6th June 1921 received from the Superintending Engineer, Western Circle, and to inform you that that officer has been requested to submit a --- detailed estimate for the work on the lines suggested by him.

2. Further necessary action will be taken on its receipt.

I have the honour to be,

Sir,

Your most obedient servant,

Please put up the enclosure

The detailed estimate called for by the Chief Engineer

FOR CHIEF ENGINEER OF MYSORE.

T.R.S./9-7.

12/7/21

12/7/21

12/7/21

277-272
18.7.21

15.7.21

Letter No.1791/EK(6J-21) dated 6th June 1921, from the ----- Superintending Engineer, Western Circle, to the Chief Engineer of - Mysore. Bangalore.

KALASA WATER SUPPLY.

Chief Engineer's No.B.9055 dated 26th April 1921 forwarding copy of letter No.3505/Muz.385-20-4 dated 8th April 1921 from the Secretary to Government in the Muzrai Department, re: Kalasa Water Supply.

With reference to the above, I have the honour to state that I examined the scheme carefully again last week and have decided --- that the best solution is to revert to a scheme similar to that ---- originally sanctioned. The main features are as follows:-

(1) Constructing a small masonry dam 60' long higher up the ----- valley where it is narrow, thereby forming a little reservoir of 1,50,000 gallons capacity.

(2) To lay 1½ galvanised iron pipe line to Kalasa.

(3) To erect elevated tanks in Kalasa with a capacity of 5,000 gallons to be fed by gravity.

(4) To provide 3 stand pipes in the village at convenient places.

(5) To transfer the 6,000 feet of 3" pipes formerly purchased to some other water supply project.

I have selected the site for the dam. The stone and jelly for thi is ready nearby having been collected for the original scheme.

The Executive Engineer is asked to submit the modified ------ estimate as soon as possible.

"Copy".

T.R.S./9-7.

Assistant Secretary to Government,
Public Works Department.

No. 1419

MYSORE PUBLIC WORKS DEPARTMENT,

CENTRAL OFFICE,

Dated Bangalore 4/12/ 1922.

Rec'd Dept. New Office 4-DEC.1922

FROM H. D. Rice, Esq.,
[redacted]
Chief Engineer of Mysore, [redacted]
for Roads and Buildings, Bangalore.

GEN. & REV. SECRETARIAT 1256 22-23

To

T. E. Jayarama Iyer, Esq., L.A., B.L.,
Secretary to the Government of Mysore,
Revenue Department, Bangalore.

SIR

With reference to correspondence ending with your --- No.1770 (Muzrai) dated 23rd November 1922 requesting me to --- investigate the matter of sinking wells for the supply of ---- water to Kalasa Town and offer my suggestions thereon, I have the honour to inform you that I shall go to Kalasa during the Christmas Holidays and shall go into the question thoroughly-

I have the honour to be,
Sir,
Your most obedient servant,

CHIEF ENGINEER OF MYSORE
FOR ROADS AND BUILDINGS.

T.R.S./2-12.

4744.236
8 12 22

No [illegible]

MYSORE PUBLIC WORKS DEPARTMENT,

CENTRAL OFFICE,

Dated Bangalore. 6 - 2 - 1923.

V. SECTT
FEB 1923

D1572
Irrig Branch
7.2.23

FROM H. D. Rice, Esq.,
Chief Engineer of Mysore, Bangalore.
Roads and Buildings, Bangalore.

7/2/23

385-20-6

To T. E. Jayaram Iyer, Esq., B.A., B.L.,
Secretary to the Government of Mysore,
Revenue Department, Bangalore.

SIR,

Adverting to correspondence ending with your letter No.2124 Muz.385-20 dated the 24th January 1923, regarding the investigation of the question of sinking wells for the supply of water to the ---- Kalasa Town, I have the honour to state that I inspected the whole - area thoroughly and decided that the best solution would be to ----- complete the partially built bund to a lower level than formerly --- contemplated and to feed the reservoir thus formed from the Kachi -- Kan streamlet. The Executive Engineer, Kadur Division, was shown - what to do and asked to submit the project to the Chief Engineer for Irrigation as early as possible-

I have the honour to be,

Sir,

Your most obedient servant,

CHIEF ENGINEER OF MYSORE
FOR ROADS AND BUILDINGS.

T.R.S./5-2/3.

G. R. S. VI—[illegible]

SUBJECT..... .....

....

....

Diary No. of letter replied to.....

General and Revenue Secretariat

( )

, *the* 191 .

Date of issue 16.2.23

Signed by M. T. Ekanayake

Section 385-20

File No. .....

Serial No 7

No. 2303
two

To The Chief Engr for Irrigation

Sir,

I am directed to forward herewith a Copy of letter no. M. 2746 dated the 7th Feb. 23 rec'd from the Chief Engr for Roads & Buildings as well as a Copy of letter no. 1791/Ex dd 6-6-21 addressed by the Supt. Inv. Exhibition

over.

Order with enclosures 1 & 2

The Chief Engr's Report
regarding the water supply
to Kalaa town, and
to request that the projects
for the work may be
dealt from the Exe: Engr's
Kadur Dn and
submitted hereto within
the month from this date.
if possible.

Received
Per Rec'd
24
10/11/23

List of enclosures.

Copied by

Examined by

1041

Office of the Muzrai Commissioner in Mysore,
Dated, Bangalore, the 9th August 1923.

From

K. Chandy, Esquire, P.A.,
Muzrai Commissioner in Mysore,
Bangalore.

13 AUG 1923 MUZRAI

To

T.E. Jayarama Aiyar, Esq., B.A., B.L.,
Secretary to the Government of His Highness
the Maharaja of Mysore, Revenue Department,
Bangalore.

Sir,

With reference to the observations made by the Dewan in his notes of inspection of the Kadur District about the early completion of the water-supply scheme to Kalasa, I have the honor to state that it is learnt from some stray papers available in this office that a contribution of Rs.5,000/- was sanctioned from Kalasa temple funds (vide Government Order No.715-17/M.F.63-93 dated 17th February 1897) for the water-supply works at Kalasa and that gradually owing to the rise in the prices of materials and the expansion of the original scheme, a revised estimate for Rs.30,000/- was sanctioned by Government and that appreciable progress was also made in the execution of the work. When a re-revised estimate for a much larger amount was received from the Public Works Department, Mr. G. Aravamudu Iyengar, the late Muzrai Superintendent seems to have visited Kalasa in May 1918 and recommended the abandonment of the scheme on account of its prohibitive cost quite disproportionate to the number of people inhabiting the villages which were expected to be benefitted by the works. The Government seems to have accepted this view and ordered the cancellation of the sanctioned estimate and to have called for an alternative project for sinking some wells at convenient centres.

It is not understood whether a modified project as above was received and subsequently sanctioned by Government and what progress

..T.C.

progress has been made in the execution of the work.

2. I request you to be so good as to let me know whether any alternative project was sanctioned by Government and if so, to be favoured with a copy of the order together with a set of Government orders bearing on the subject for reference.

I have the honor to be,

S i r,

Your most obedient servant,

N Chandy

Muzrai Commissioner.

and

D.N.

Muz 4]

SUBJECT.....

Diary No. of letter replied to 199

Section Muzrai

File No. 385-20

Serial No. 9

Muzrai Secretariat

(Muz)

, the 192

No. 384 / one

Date of issue 22-8-23

To

The Muz Comr in Mysore
Bangalore

Signed by for D.C. Subbarayappa
Secy.

In reply to your letter No. C. 166 of 23-24 & 11-8-23 giving a brief history of the water-supply scheme to Kalasa in the past, with reference to the observations made by the Dewan on the subject in his notes of inspection of the Kadur Dist & ~~on this~~ and requesting to be informed of the further progress

over.

made in the matter, I am directed to forward, herewith, for your information a copy of letter No. 2303/Mis 385-20-7 & 16-2-23 addressed ~~on the subject~~ to the Chf. Engr. for Irrigation, on the subject, together with copies of letters referred to therein.

I have etc

Secretary
Rev Dept

SD
15/8/23

16/8/23

List of enclosures

Copied by

Examined by

WD 0563—GPB—2,500—27 7 22

Immediate

No:B. 1297

1 Estt
1 Report
3 Tracings
5

36729

53

MYSORE PUBLIC WORKS DEPARTMENT,

CENTRAL OFFICE

Dated Bangalore. 3 March 192 5





FROM J. Bhore, Esq., A.M.I.C.E.,
~~S. CADAMBI, Esq.,~~
~~Chief Engineer~~ *ex officio*
~~Secretary to the Government of Mysore~~,
~~Public Works Department~~, *Bangalore*

Dn 1440.
Muz.385-20-10.

To

K. V. Anantaraman, Esq., B.A.,
Secretary to Government,
Revenue Department,
Bangalore

SIR,

With reference to correspondence ending with your D.O.N Reminder 1075/Muz.385-20 dated the 20th January 1925, I have the honour to forward herewith an estimate amounting to Rs 25,017 for water supp to Kalasa Town for sanction of Government.

2. The scheme as now submitted is the cheapest possible, and is made up of the following works:-

		Rs
(1)	Constructing impound reservoir with weir and sluice:-	
	Bund .....Rs 3,800	
	Weir .....Rs 1,890	
	Sluice .....Rs 1,060	6,750
(2)	Delivery Main 4" C.I.	9,435
(3)	Distribution	11,678
(4)	Labour charges already paid	600
(5)	Land compensation and compensation for stoppage of work, already paid to Mr.Reed, contractor	2,800
(6)	Materials deteriorated	200
(7)	Carting charges of pipes	1,100
(8)	Establishment and Tools and Plant charges.....	2,377
	Total	34,940
	Deduct cost of materials available	9,923
	Net amount of estimate.....	25,017

3. In their order no.1904-7/Muz.120-07-30 dated the 12th February 1916, Government sanctioned an estimate for Rs 23,500, two thirds of the cost being met from the funds of Sri Kalaseswaraswami Temple and one third from State funds, placed at the disposal of the P.W.D. The work was then in charge of the Kadur Division. Mr.W.H.Reed, a local Coffee Planter took up the work on contract. The rates tendered by the contractor were higher than those sanctioned and a revised estimate for Rs 30,000 was sanctioned in G.O.No.2747-50/Muz.280-16-4 dated the 7th May 1917.

4. Before actually starting the work, the Executive Engineer, Kadur Division got detailed surveys made and since the detailed estimate came to nearly Rs 42,000, he reported that such a costly scheme for a small population of 300 to 400 was prohibitive. Thereupon it was ordered in 1917 that the work may be put in hand according to the sanctioned estimate of Rs 30,000.

5. The work was accordingly started and done to an extent of Rs 1,200 and 2½" cast iron pipes and other materials costing Rs 10,000 were collected. The Muzrai Commissioner visited Kalasa in May 1918. He reported that such a costly scheme was not justifiable for a resident population of less than 450. Government therefore ordered in their no.498-50/Muz.153-18-2 dated the 13th August 1918 that the project should be abandoned, and that a few wells should be sunk instead and that the materials &c., should be disposed of in consultation with the Muzrai Superintendent.

6. The work was immediately stopped and a compensation of Rs 2,000 paid to Mr.Reed the contractor. A portion of the pipes collected at Kalasa was carted to Chickmagalur.

7. An estimate for sinking two wells and improving the existing ones for Rs 10,848 was got up and submitted to the Superintending Engineer, Western Circle, in December 1920. The Superintending Engineer examined the scheme once again ~~and decided once again~~ and decided that the best solution would be to revert to a scheme similar to that

originally sanctioned in 1916. He accordingly instructed the Executive Engineer to prepare and submit a modified estimate.

8. In August 1924, the Executive Engineer Water Supply construction submitted a project for Rs 53,530. This was returned with a view to reduce cost as per my instructions by the omission of water tower, service reservoir, filters and the introduction of an ordinary pipe sluice to the impounding reservoir which are not considered necessary for this small scheme.

9. As ordered in G.O. of February 1916, two thirds of the cost may be met from the Temple Funds and one third from State Funds.

10. I request that you will be so good as to obtain early sanction of Government to the estimate for Rs 25,017.

I have the honour to be,

Sir,

Your most obedient servant,

2-3-25

Chief Engineer of Mysore.

App.F.VI G1.]

App.F.VI G1.]

SUBJECT ---

Section Mur

File No. 385-20

Serial No. 11

Diary No of letter replied to 1440

No. 1364

General and Revenue Secretariat

(Mur)

, the *192*

To The Chief Engineer
of Mysore,
Bangalore.

Date of issue 19.3.25

Signed by Ms V.V.

Sir,

With reference to your letter No. B.12197 of 3.3.25 submitting for sanction an estimate for Rs 25,017 for water-supply to Kalasa town, two-thirds of the cost being proposed to be met from the Kalasa temple funds and one-third from the State Funds, I am directed to request that information may be furnished as to the amount that was placed at the disposal of the P.W.D. (out of the temple funds) when the original

List of enclosures

Copied by

Examined by

and revised estimates ~~noted~~ were sanctioned in Govt orders nos. 1904-7/120-07-30 dt 12.2.1916 and 2747-50/Mis 280-16-4 dt 7-5 and how much out of it is now available.

I have etc

Secretary
Rev. Deptt

18/3/25

18.3.25

18/3/25

App.F.VI-G1.]

SUBJECT ---

Section Mur

File No. 385-20

Seria No. 12

Diary No of letter replied to 1440

No. 1365

General and Revenue Secretariat

(Mug)

, the 19 192

To The Comptr. to Govt

Date of issue 19.3.25

Signed by Mr. V.V.

Sir,

I am directed to invite reference to Gr. Os. nos. 1904-7/Mug 120-07-30 & 12-2-1916 and 2747-50/Mug 280-16-4 & 7-5-1917 sanctioning an estimate for Rs 23,500 and a revised estimate for Rs 30,000 respectively, for water-supply to Malasa town, 2/3rds of the cost being met from temple funds and 1/3 from State P.W.D funds and to request to be informed at once as to the amount that was placed at the disposal of the

List of enclosures

Copied by

Examined by

over

P.W.D out of the temple funds and what portion of it, if any, was recredited to the temple, when the work was abandoned.

I have etc

sd/-

Secretary

Rev: Deptt

18/3/25

sd/
18.3.25

App.F.VI-G1.]

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

GENERAL REVENUE SECTION
Dr. Irrig.
20 MAR 1925
In reply please refer to No. TAD.B.1089.

28952

Comptroller's Office, Bangalore,

Dated the 19th March *1925*,

GEN. & REVENUE SECTION
21 MAR 1925
MUZ.

Dr 1530

Muz.385-20-12.

K. V. Anantharaman Esq., B.A.,
Secretary to the Government, of Mysore,
Revenue Department, Bangalore.

Sir,

ST 21/3/25

With reference to your letter No.1365/Muz.385-20-12 dated 19th March 1925, I have the honor to state that two sums viz, Rs.15,666-10-8 being the 2/3 of the Estimate for Rs.23,500/- for the Water Supply to Kalasa Town sanctioned in Government order No.1904-7/Muz.120-07-30 dated 12th February 1916 and Rs.4,333-5-4, being 2/3 of 6,500/- sanctioned in Government Order No. 2474-50/Muz.280-16-4, dated 7th May 1917, were placed at the disposal of the Public Works Department in the accounts for February 1916 and May 1917 respectively.

A sum of Rs.10,073-0-4 ~~the balance of contribution~~ was recredited to the funds of the institution in November 1919.

I have the honor to be,
Sir,
Your most obedient servant,

Deputy Comptroller.

213
19.8.25

SAM

-App.F.VI-G1.]

JECT

Section Mang.
File No. 185-20.
Seria. No. 14.

Diary No. of letter replied to

No. 1463

General and Revenue Secretariat
( )
, *the* 192

To The Manager

Sir,

Date of issue 7.4.25

Signed by. Mr T.R.

I am directed to state that a packet for water supply of the town of Kalutara in the Kalutara Talaka is under the consideration of Govt and Agent would kindly be informed whether the ~~Kalutara~~ Kalutara Urban Council has any funds available for Govt to grant a loan for the same.

Kalutara
Rs 25017

What is the amt on deposit at the credit of the Sri Kalaseevana Vihare temple

List of enclosures

Copied by

Examined by

whether they have
L&D's grid thereof
req'd for the water supply
project.

A very early reply
is requested.

Thank you

4.445

Reider

RR
2/4/25

42317

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

In reply please refer to No. TAD.B.1214.

Comptroller's Office, Bangalore,

Dated the 15th April *192*5.

K. V. Anantharaman Esq., B.A.,
Secretary to the Government of Mysore,
Revenue Department, Bangalore.

With reference to your letter No. 1463/Fuz.385-00-14 dated 7th April 1925 regarding the balance at the credit of Srikalaseswar swami, at Kalasa, Mudagere Taluk, I have the honor to state that a sum of Rs.3,358-7-2 was at the end of February 1925, in cash and Rs.14,480-4-9 in Government Bonds and other securities as noted on the margin.

It is for Government to decide whether the promissory notes belonging to the Institution may be sold or not to meet the expenditure in question

I have the honor to be,
Sir,
Your most obedient servant,

Chief Engineer of Mysore

SAM

Pro-notes of		Amount.		
1865	Govt of India ...	Rs•8,300	0	0
1879		,, 5,689	4	9
1940	Stokedown ...	, 30,500.	0	0
		Rs•44,489	4	9

42844

No. 14508

WD 1212—GPB—1920—22 12-24

68

MYSORE PUBLIC WORKS DEPARTMENT,
CENTRAL OFFICE,

Dated Bangalore, 20 April *1925*



JOHN BHORE, Esq., A.M.I.C.E., Etc.,
Chief Engineer of Mysore,
Bangalore.

Dno. 1664
Muz. 385-20-16.

To

ST
4/4

K. V. Anantaraman, Esq., B.A.,
Secretary to Government,
Revenue Department,
Bangalore.

SIR,

With reference to your letter No.1364/Muz.385-20-11 dated the 19th March 1925 re water supply to Kalasa Town, I have the honour to state that it is reported by the Executive Engineer, Kadur Division that a sum of Rs 20,000 being 2/3 of the sanctioned estimate amount was transferred to the credit of the P.W.Department as per G.O.No.2747-50/Muz.280-16-4 dated the 7th May 1917. When the work was ordered to be stopped, the final accounts of the contractor were made in August 1919, and the total expenditure up to that month was Rs 14,890-7-7. Two thirds of this amount, viz., Rs 9,926-15-8 was debited to contribution and the balance of Rs 10,073-0-4 was retransferred to the Civil Department in the accounts of the same month for credit to the Sri Kalaseswaraswami Temple funds.

It is also reported that materials valued at Rs5,256-2-0 were returned from the works to the stores and adjusted by debiting the full value to "Mis:Public Improvements" under Civil Works in the accounts for June 1921 and these materials are also available now in addition to those available at site of works.

I have the honour to be,
Sir,
Your most obedient servant,

J. Bhore 20-4-25

Chief Engineer of Mysore

V.W.S.

App.F.VI G1.]

SUBJECT ---

Section Mercy.

File No. 385 L.P.

Serial No. 1

Diary No of letter replied to 1664

No. 1620 Secret

General and Revenue Secretariat

(Mercy)

, the 192

To The Mercy: Comer. in Mysore, Bangalore.

Date of issue 12-5-25

Signed by J.M.T.R.

*: to be returned

Sir

I am directed to forward, herewith, the Chief Engineer's letter no. B. 12197/1 dt 3.3.25 in regard, with its enclosures, submitting for sanction the estimate for Rs 25,017 for water-supply to Kalasa town and to state that it has been reported by the Comptr. that the ~~cash~~ balance at the end of the temple ab A Kalasa was Rs 3,78 7-2 (at the end of Feb'25) in cash - Rs 4,489-4- in Postal ... - 1,13,21 9

List of enclosures

Copied by

Examined by 11/5/25

over

in G. S. 3½ p.c. bonds and
Rs 30,500 in 6¼ p.c. State Loan bonds
of 1940).

2. If the estimate is sanctioned,
2/3 share of the cost of it has
to be met from the temple funds
and to meet this charge, the
bonds belonging to the temple
have to be sold, as the cash
balance is small. I am to
request you, therefore, to
ascertain the views of the
Dharmakartas of the temple
in the matter of selling the bonds
to the extent necessary and forward
the same, early, with your opinion
for the orders of Govt.

I have etc

Q. 5. 25

for Secretary
Rev: Dept

8D
Q.5.25

No. B. 600/1 07729

MYSORE PUBLIC WORKS DEPARTMENT,
CENTRAL OFFICE,

Dated Bangalore, 15 August *1925.*

FROM

K. R. SESHACHAR, ESQ., B.A., B.E., C.E.,
Secretary to the Government of Mysore,
Public Works and Electrical Departments,
Bangalore.

To

K. V. Anantharaman, Esq., B.A.,
Secretary to Government,
Revenue Department, Bangalore.

SIR,

I have the honour to state that it is reported by the Chief Engineer of Mysore that the modified project for Water Supply to Kalasa town has been forwarded to you for obtaining orders of Government in the Revenue Department. As Government have ordered recently (Vide P.W Secretary's letter No. M.283 dated the 22nd July 1925, copy enclosed) that all water supply schemes should, in the first instance, be dealt with in the P.W. Secretariat before it is forwarded to the Local and Legislative or Revenue Secretariat, I request you to be so good as to forward the project to this office, to enable necessary action being taken in the matter.

I have the honour to be,
S i r,
Your most obedient servant,

K. R. Seshachar

Secretary to Government,
Public Works Department.

K.B.R.

Letter No. 283 dated the 22nd July 1925, ~~to the Chief Engineer, of Mysore, Bangalore~~ from the Secretary to Government, Public Works --- Department, to the Chief Engineer of Mysore.

Subject:- Project for Water Supply Schemes.

I am directed to state that, in future, all water supply ----- schemes should, in the first instance, be submitted by the Chief Engineer for being dealt with in the Public Works Secretariat and then ---- forwarded to the Secretary to Government, Local and Legislative Departments.

C O P Y.

Assistant Secretary to Government,
Public Works Department.

K.B.R.

App.F.VI-G1.] B650

SUBJECT

Section

File No. 385-20

Serial No. 19

Diary No of letter replied to 205

No. 262

To The Mun: Comm in Mysore
Bangalore

General and Revenue Secretariat
(Mun)
, the 192

Date of issue 28.8.25

Signed by T. Ramaiya

Sir,

In inviting reference to
this office letter no. 16-0/Mun: -0
of 12-7-25 and to enclosure
thereto requesting for the
to Kalasa town, [illegible]
to request that the [illegible]
letter no. 197 [illegible]
its receipt [illegible] returned
to the [illegible] with the report
called for. The under signed

List of enclosures.

Copied by

Examined by 27/8/25

over

for refee and the fact intimated to this office.

A very early reply is also requested to this office letter referred to above.

I have etc

26.8.25

Secretary
Rev: Deptt

21/8/25

Copy forwarded, with Compts; 2635 28.8.25
to the Rev. Deptt with
ref to his
letter No 600 dated

26/8/25

15664

No. C/1336 of 25 Office of the Muzrai Commissioner in Mysore
one file

Dated Bangalore, 8th October 1925.

From

C. S. Balasundaram Iyer, Esq., B.A.,

Muzrai Commissioner in Mysore,

Bangalore.

4 (9



To

B. Srinivasa Iyengar, Esq., B.A., B.L., Mur 385-20-20

Secretary to the Government of

His Highness the Maharaja of Mysore,

Revenue Department.

Sir,

With reference to your letter No.1620/M.F.385-20-17 dated 12th May 1925 and subsequent communications regarding the water supply to Kalasa town, I have the honor to forward herewith copy of the proceedings of a meeting of the temple Dharmadarsis held on 8th August 1925 received with the Deputy Commissioner's letter of the 8th September 1925 resolving that the vast difference between the temple accounts and those maintained in the Comptroller's Office require verification and that if there is not sufficient cash balance at the credit of the Sri Kalaseswaraswami temple, 6½% loan bonds necessary to make up the temple quota of contribution may be sold and the amount made available for -- the water works scheme.

2. The estimate as modified now amounts to Rs.34940-0-0 and deducting the net cost of the materials available, viz., Rs.9923-0-0, a sum of Rs.25017-0-0 will be required if the work is to be commenced ------- immediately. Two thirds of this cost will have to be contributed by the temple and the remaining one third from State Funds, as has already been ordered by Government. A sum of Rs.2377-0-0 is charged in the estimate towards establishment, tools and plant charges and as this is a contribution work, the provision has to be omitted. Thus a sum of Rs.15094/- will have to be contributed by the temple and the balance of Rs.7546/- from State Funds.

3. I am of opinion that it is rather unfair that 6½% loan bonds to the extent of Rs.12000/- yielding an annual int rest of Rs.750-0-0 to

the

the temple should be disposed of to provide funds for the water works scheme. This temple has contributed the largest amount, viz., ----- Rs.1,25,000/- towards the corpus of the General Muzrai Fund yielding an annual interest of Rs.4375-0-0. The temple has therefore a ---- legitimate claim upon the interest earnings of the Fund, when money is required for its own purposes urgently. According to the Comptroller's books the Fund had an opening balance of Rs.38954-15-11 at its credit on 1st July 1925 and a recommendation has already been made by me for a sum of Rs.25000/- out of this balance being invested in 6½% loan -- bonds. Deducting this amount, a sum of Rs.13954-15-11 and also the balance of the current year's interest earnings after meeting the --- budgetted grants, will be available for capital expenditure. I beg therefore to recommend that the amount required of the temple less the cash balance available at its credit may be contributed out of the -- accumulated interest earnings of the General Muzrai Fund.

4. The enclosures to your letter are returned.

I have the honor to be,

Sir,

Your most obedient servant,

for Muzrai Commissioner.

KSR.

Recd from Head Quarters 8/10/25

Letter No.1620/Muz.385-20-17 dated 12th May 1925 dated 12th May 925 from the Secretary to Government Revenue Department to the Muzrai ommissioner in Mysore.

I am directed to forward herewith the Chief Engineer's letter No.B.12197 in original (to be returned) with its enclosures, Submitting for sanction an estimate for Rs.25,017 for water,supply to Kalasa town and to state that it has been reported by the Comptroller that the balance at the credit of the temple at Kalasa at the end of February 1925 was Rs.3,358-7-9 in cash and Rs.44,489-4-9 in Government of India $3\frac{1}{2}$ per cent bonds and Rs.30,500/- in $Y\frac{1}{4}$ per cent State Loan Bonds of 1940).

2. . If the estimate is sanctioned, two-thirds share of the cost of it has to be met from the temple funds and to meet this charge the bonds belonging to the temple have to be sold, as the cash balance is small. I am to request you, therefore, to ascertain the views of the Dharmadarsis of the temple in the matter of selling the bonds to the extent necessary and forwarded the same early, with your opinion, for the orders of Government."

"Copy"

for Muzrai Commissioner.

G. R. S. VI—G/32]

SUBJECT..... ....

....

....

Diary No. of letter replied to 417

General and Revenue Secretariat

(Mr. C)

, the *191* .

Date of issue 28-10-25

Signed by L Ramaiyar

Section Mun

File No. 385-20

Serial No 21

No. 501 Enclosures-one file. plans.

To

[illegible]

It may kindly be sent back early.

over. 25.10.25.

List of enclosures.

Copied by

Examined by

Urgent

No. B. 200
Encls. 3 Blue prints
1 File

PUBLIC WORKS AND ELECTRICAL SECRETARIAT,

Dated Bangalore, 2/12/ 1925.

GEN. & REV. SECRETARIAT
4-DEC 1925
MUZRAI
D. No. 658

22640

FROM

K. R. SESHACHAR, ESQ., B.A., B.E., C.E.,
Secretary to the Government of Mysore,
Public Works and Electrical Departments,
Bangalore.

GEN. & REV. SECTT.
Bg.
2. DEC. 1925
D. SECTION.

B. Srinivasa Iyengar, Esq., B.A., B.L.,
Secretary to the Government of Mysore,
Revenue Department, Bangalore.

SIR,

In returning herewith the modified project for water --- supply to Kalasa town, received with your letter No. 501/Muz. 385-20-21 dated the 28th October 1925, I have the honour to state that the -- estimate is in order. The provision for filter beds, Service ---- Reservoir, distribution to Rudrapada and feeder channel for which provision had been made in the original estimate has been omitted - in the alternative estimate. The total estimated cost amounts to Rs. 34,940, and deducting the cost of materials available, the net --- amount will be Rs. 25,017-

I have the honour to be,

Sir,

Your most obedient servant,

V. R. Seshachar

Secretary to Government,
Public Works Department.

T. R. S.

G.R.S. VI G 34J

SUBJECT.....

.....

.....

Diary No. of letter replied to..... 332 1926

Section Mur

File No. 385-28

Serial No 23

General and Revenue Secretariat

(Mur

, *the* 192 .

Proceedings of the Government of His Highness the Maharaja of Mysore

Date of issue 31/1/26

Signed by.....

Read— 1) G. No. 1904-7/Mur 120-07 dt 12-2-1916 sanctioning an estimate for Rs 23,500 for the construction of a tank near the Halasa town and the laying out of a pipe line to lead water into a service reservoir for providing a good water-supply to the Halasa town.

Order Thereon

2) G.O. No. 2747-50/Mur 280-16-4 dt 17-1-17 sanctioning a revised estimate for Rs 30000 on account of rise in the price of iron and other articles.

May this be

i Printed ?

ii treated as a standing order ?

iii published in the Gazette, English Part ?

iv translated ?

v placed at the disposal of the press ?

vi published in the Gazette, Kannada Part ?

Put up.

29.1.26

3) G.O. No. 498-501/Mis 153-18-2 dt 13-8-18 directing that the project, ~~which was considered~~ to be costly and of doubtful utility, be abandoned; and requesting the Chief Engr to investigate the question of sinking one or two wells to afford the necessary water convenience to the village and temple.

4) -Correspondence ending with letter no. B. 12/97 dt 3-3-25 from the Exec. Engr of Mysore submitting for sanction an a modified estimate for Rs 25,017 for water-supply to Kalasa town, excluding the cost of materials available, amounting to Rs 9923

34940
25017
9923 List of enclosures.

5) Letter no. 2007 dt 2-12-25 from the Secretary, P.W.D stating that the estimate for Rs 34,940, inclusive of the cost of materials available on the spot amounting to Rs 9923, is in order and that it may be framed.

Copied by

Examined by

D 1888—GTB—1,000,00—51.12.25

G. R. S. 27]

GENERAL AND REVENUE SECRETARIAT.

(Continuation sheet draft form.)

Orders:- No. 9714-D 35/1/26

The question of making efficient arrangement for the supply of water to Kalaoya town — the seat of the famous and richly endowed temple of Kalaseowaara - in the Kurunegala Taluk has long been under consideration of Govt. An estimate for Rs 23500 - of which 2/3. was to be contributed from the temple funds and the balance, ~~three~~ from the State Funds placed at the disposal of the P.W.D., was sanctd in the first of the orders read above. After a portion of the work, as per revised estimate sanctioned in the 2nd of the orders read above was carried out, the project was abandoned as being costly for a small flow...

GPB—20,000—7-7-14

Cikie Kalasa as being one
and of doubtful
utility, and the Chief Engr.
was requested to investigate
the question of sinking
one or two wells to afford the
necessary water convenience
to the village and temple.
The Supdtg Engr., Western
Circle having, in his letter
no. 943/E.K.(67.21) of 22-12-20
to the Exe: Engr., reported
that there was no guarantee
whatever of the wells proposed
to be sunk holding water
in hot weather even if
deepened to a depth of 20 feet
and that the best solution
of the question would be to
~~the~~ revert to the
old scheme of constructing
a suitable tank near the
town and leading water
thereto by pipes into reservoirs
etc, the Chief

G. R. S. 27]

GENERAL AND REVENUE SECRETARIAT.

(Continuation sheet draft form.)

after very position in Mesopotamia

Engineer Force/~~with his letter~~ No. 12197 G 3.3.25, sent up for sanction a ~~revised~~ fresh estimate for Rs 34,740. Deducting the cost of materials available viz Rs 9,723, the net amount now required for the purpose is Rs 25,017. ~~The Secretary P.W.D has certified that the estimate is in order.~~

circumstances above set forth

2. In view of the ~~above facts~~, Govt are pleased to sanction the ~~revised~~ modified estimate for Rs 34,940, inclusive of the cost of materials available, two-thirds of the cost being met from the funds at the credit of the temple and one-third from State ~~Funds~~ funds. ~~as mentioned above~~ which sanctioning the first estimate in July 1916, provision being made for the

~~in the Budget~~

~~The estimate~~ The work ~~may~~ be carried ~~out~~ with the sanction ~~of~~ payable from the Temple funds and not

GPB—20,000—7 7 14

in the P. W. D budget next year -

3. The Chief Engr is requested to have the work taken up at once & to submit to Govt in the Mug: Deptt a quarterly report of progress made in the execution of the work, the first for the quarter (commencing from 1st March 1926) being submitted before the 15th of April following.

4. The Comptr is requested to arrange for the sale of such portion of the loan bonds of the Temple as may be necessary to supplement the cash balance of the Temple on hand in order to meet the expenditure of the year and to report how much of the investment of the Kalasa temple fund is to be converted into cash and whether to that extent a portion of the surplus of Rs 2,000 of the Spcl Mug: Fund can be invested in the loan paper -

Secretary
Rev: Deptt

To
The Secretary, P. W. D.
" Chf: Engr of Mysore,
with the same to continue
& other enclosures -
" Mug: Court in Mysore
" Comptr to Govt (with the files)
" Y: Court, Kadur Dt
with compliments
to the Secretary to H. H. for information

Government of His Highness the Maharaja of Mysore.

GENERAL AND REVENUE DEPARTMENTS.

G. O. No. 974-8—Muz 385-20-22, dated 30th January 1926.

Water-Supply to Kalasa Town.

Sanctions an estimate for Rs. 34,940 for the project of ——.

READ—

Government Order No. 1904-7—Muz. 120-07-30, dated the 12th February 1916, sanctioning an estimate for Rs. 23,500 for providing a good water-supply to the Kalasa Town.

2. Government Order No. 2747-50—Muz. 280-16-4, dated the 17th May 1917, sanctioning a revised estimate for Rs. 30,000 on account of rise in the prices of iron and other articles.

3. Government Order No. 498-50—Muz. 153-18-2, dated the 13th August 1918, directing that the project be abandoned and requesting the Chief Engineer to investigate the question of sinking one or two wells to afford the necessary water convenience to the village and temple.

4. Correspondence ending with letter No. B. 12197, dated the 3rd March 1925, from the Chief Engineer of Mysore, submitting for sanction a modified estimate for Rs. 25,017 for water-supply to Kalasa Town excluding the cost of materials available amounting to Rs. 9,923.

5. Letter No. 2007, dated the 2nd December 1925, from the Secretary, Public Works Department, stating that the estimate for Rs. 34,940 inclusive of the cost of materials available on the spot amounting to Rs. 9,923 is in order and that it may be sanctioned.

ORDER NO. 974-8—MUZ. 385-20-22, DATED 30TH JANUARY 1926.

The question of making efficient arrangement for the supply of water to Kalasa Town the seat of the famous and richly endowed temple of Kalaseswara in the Mudgere Taluk, has long been under consideration of Government. An estimate for Rs. 23,500, of which two-thirds was to be contributed from the temple funds and the balance from the State Funds, placed at the disposal of the Public Works Department, was sanctioned in the first of the orders read above. After a portion of the work, as per revised estimate sanctioned in the second of the orders read above, was carried out, the project was abandoned as being costly for a small place like Kalasa and also as being one of doubtful utility and the Chief Engineer was requested to investigate the question of sinking one or two wells to afford the necessary water convenience to the village and temple. The Superintending Engineer, Western Circle, having in his letter No. 943—E. K. (67-21), dated 22nd December 1920, to the Chief Engineer reported that there was no guarantee whatever of the wells proposed to be sunk holding water in hot weather even if deepened to a depth of 20 feet and that the best solution of the question would be to revert to the old scheme of constructing a suitable tank near the town and leading water through pipes into a service reservoir, etc., the Chief Engineer has after necessary further investigation sent up for sanction fresh estimate for Rs. 34,940. Deducting the cost of materials available, *viz.*, Rs. 9,923, the net amount now required for the purpose is Rs. 25,017.

2. In view of the circumstances above set forth, Government are pleased to sanction the modified estimate for Rs. 34,940 inclusive of the cost of materials available, two-thirds of the cost being met from the funds at the credit of the temple and the remaining one-third from State Funds. The work may be started with the contribution payable from the temple funds and necessary provision made for the Government share in the Public Works Department budget next year.

3. The Chief Engineer is requested to have the work taken up at once and to submit to Government in the Muzrai Department a quarterly report of progress made in the execution of the work, the report for each quarter (commencing from 31st March 1926) being submitted before the 15th of the following month.

4. The Comptroller is requested to arrange for the sale of such portion of the loan bonds of the temple as may be necessary to supplement the cash balance at the credit of the temple for meeting its share of the cost of the project and submit a report of the fact to Government for their information.

B. SRINIVASA IYENGAR,
Secretary to Government,
Revenue Department.

To—The Secretary, Public Works Department.
The Chief Engineer of Mysore, with the sanctioned estimate and other enclosures.
The Muzrai Commissioner in Mysore, with a copy of the abstract estimate.
The Comptroller to Government, through the Financial Secretariat.
The Deputy Commissioner, Kadur District, with a copy of the abstract estimate.

Exd.—K. S,

WD 1667 GPB - 330 -10 2-26

87 pages
KU.
29.3.26